

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

	Type	L #	Hits	Search Text
1	BRS	L1	1216	(evaluat\$6 study\$6 examin\$6 analy\$6 sens\$6 detect\$6 transducer measur\$6 control\$6) near2 (vehicle auto\$7 car) near2 (movement behavior).ti.
2	BRS	L2	1	1 and (tire wheel rotat\$5) near2 (pressure force load strain stress) near2 (sens\$5 detect\$5 transducer).clm.
3	BRS	L3	17539	"3" and (encoder).clm.
4	BRS	L4	0	2 and (encoder).clm.
5	BRS	L5	9	1 and (tire wheel rotat\$5) near2 (pressure force load strain stress) near2 (sens\$5 detect\$5 transducer)
6	BRS	L6	1	5 and (encoder)

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:50			0
2	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
3	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:49			0
4	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
5	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
6	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:50			0

	Type	L #	Hits	Search Text
7	BRS	L7	1	6 and (stationary fixed immobile non-moving)
8	BRS	L8	7370	(evaluat\$6 study\$6 examin\$6 analy\$6 sens\$6 detect\$6 transducer measur\$6 control\$6) near2 (vehicle auto\$7 car) near2 (movement behavior)
9	BRS	L9	1136	(evaluat\$6 study\$6 examin\$6 analy\$6 sens\$6 detect\$6 transducer measur\$6 control\$6) near2 (vehicle auto\$7 car) near2 (movement behavior).clm.
10	BRS	L10	15	9 and (tire wheel rotat\$5) near2 (pressure force load strain stress) near2 (sens\$5 detect\$5 transducer).clm.
11	BRS	L11	0	10 and (encoder).clm.
12	BRS	L12	2	10 and (encoder)

	DBs	Time Stamp	Comments	Error Definition	Errors
7	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:50			0
8	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:50			0
9	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
10	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
11	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0
12	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:51			0

	Type	L #	Hits	Search Text
13	BRS	L13	1171	(tire wheel rotat\$5) near2 (pressure force load strain stress) near2 (sens\$5 detect\$5 transducer).clm.
14	BRS	L14	13	13 and (encoder).clm.
15	BRS	L15	1	14 and (nominal\$3)
16	BRS	L16	788	(tire wheel) near2 (pressure force load strain stress) near2 (sens\$5 detect\$5 transducer).clm.
17	BRS	L17	13	16 and (nominal\$3).clm.
18	BRS	L18	0	17 and (tranvers\$5)

	DBs	Time Stamp	Comments	Error Definition	Errors
13	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:52			0
14	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:52			0
15	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:52			0
16	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:52			0
17	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:53			0
18	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:53			0

	Type	L #	Hits	Search Text
19	BRS	L19	2	17 and (transvers\$5)

	DBs	Time Stamp	Comments	Error Definition	Errors
19	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2003/10/27 15:53			0

	Type	L #	Hits	Search Text
1	BRS	L1	179	(vehic\$6 car auto\$7) near2 (movement) near2 (dynamic)
2	BRS	L2	24	1 and (wheel tire) near2 (force pressure strain stress load mass) near2 (sens\$5 detect\$5 measur\$6 transducer determin\$5)
3	BRS	L3	17	2 and (stationary fixed immobil\$5 non-mov\$6)
4	BRS	L4	1	3 and (nominal\$3)
5	BRS	L5	13	3 and (nominal\$3 approximate\$4)
6	BRS	L6	1	5 and (encoder)
7	BRS	L7	4	(condition behavior status) near2 (vehic\$6 car auto\$7) near2 (movement) near2 (dynamic)
8	BRS	L8	1	7 and (wheel tire) near2 (force pressure strain stress load mass) near2 (sens\$5 detect\$5 measur\$6 transducer determin\$5)
9	BRS	L9	405	(condition behavior status) near2 (vehic\$6 car auto\$7) near2 (movement)
10	BRS	L10	13	9 and (wheel tire) near2 (force pressure strain stress load mass) near2 (sens\$5 detect\$5 measur\$6 transducer determin\$5)
11	BRS	L11	3	10 and (nominal\$3)
12	BRS	L12	11	(condition behavior status) near3 (vehic\$6 car auto\$7) near3 (movement) near3 (dynamic)
13	BRS	L13	3	12 and (wheel tire) near2 (force pressure strain stress load mass) near2 (sens\$5 detect\$5 measur\$6 transducer determin\$5)

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:47			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:47			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:45			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:48			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:46			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:46			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:48			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:49			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:48			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:48			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:48			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:49			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/27 16:49			0